

شركة [90 ليل المحدودة

Road Line - Company . Limited

















شركمة إلا الاحدودة

Road Line - COMpany . Limited

Head Office Egypt
Alabor City- First Quarter
Aziz Egyptian street team

C.R 85595 T.C 504 - 528 - 696

Tel:+20132763286 Fax: +20132763287 Mob: +201010060540 - +201010070420

Email: sales@roadlinco.com

ACTIVITIES

- ALL PAINT MANUFACTURING MACHINES.
- 2 ALBUALARAT EPOXY AND MACHINERY MANUFACTURING.
- 3 FABRICATION AND INSTALLATION OF PAINT PRODUCTION LINES.
- 4 ALL PAINTS MACHINERY MAINTENANCE.
- 5 INSTALLATION OF METAL BARRIERS MANUFACTURING MACHINES.
- 6 FABRICATION AND INSTALLATION OF CERAMIC PRODUCTION LINES.
- FABRICATION AND INSTALLATION OF PRODUCTION LINES CAT EYES.
- 8 FABRICATION AND INSTALLATION OF PRODUCTION LINES MARKER.
- 9 FABRICATION AND INSTALLATION OF PRODUCTION LINES PAINTINGS.
- 10 ALL MOLDS AND PAINTS CHOP.
- 11 A TRAINING COURSE IN THE IMPLEMENTATION OF ROAD PAINTS.
- 12 A TRAINING COURSE IN THE IMPLEMENTATION OF PAINTS AIRPORTS.
- 13 A TRAINING COURSE IN THE INSTALLATION OF SIGNAGE.
- A TRAINING COURSE IN THE CALCULATION OF QUANTITIES PROJECTS.

COMPANY OVERVIEW



Roadline factory ,for road marking machines, is one of the largest and most deep-rooted factories in the Middle East and Africa.

Seeking development, Roadline factory combined originality, experience, and latest techniques. Moreover, these qualities have been handed down through generations.

Roadline factory has successfully become a global competitor in the field of manufacturing Roadmarking machiens and Boilers. The crew, including team leaders, employees, and workers who have proven competence, cooperate in order to achieve the best performance. Besides, trainings are given to the whole crew in the factory's training centers inside and outside the factory.

Roadline factory is also very keen to offer its employees the fullest and finest medical, social, and recreational services. Thus, these services positively affect the performance of employees and maintain their sense of belonging to the factory.

Since its inception, the factory has won the confidence of everyone(governmental and private bodies). This is due to the factory's machinery that applies the latest scientific and technological methods, which make the factory able to implement the projects according to the conditions and technical specifications required in a timely manner.

This shows the factory's success and continued progress that result from the proper planning guided by good and flexible management. This also made Roadline stands on a solid ground to face other national and multinational factories. This is due to the factory's broad base of technical personnel that is qualified, trained, and equipped with the best and the latest modern technology.

We always do our best in order to reach the highest levels and be the focus of everyone. Being equipped with the best and latest methods and techniquesss, we are always ready to keep up the reputation of the factory. Finally, with God's help and support, we promise to be as everyone expected us to be.

www.roadlineco.c<u>om</u>

DAS CERTIFICATION



Quality Management Systems Certificate of Approval

This is to certify that the QMS of

Road Line Factory for Road Marking Machines

PO.Box: 11828, Elobour city: 1080, Arab Republic of Egypt

Has been assessed and found to meet the requirements of

ISO 9001:2008

This certificate is valid for the following scope of operations:

Manufacturing, Supply & Installation of All Road Marking Machines & Training Courses e.g., Bitumen Melting, Sign Boards, Guard Rails & Epoxy Mixing Machines; Paint & Ceramic Production Lines & Its Spare Parts; Maintenance & After Sales

This certificate is the property of DAS Certification and is valid from 10th March 2016 until 9th March 2019 and remains valid subject to satisfactory annual Surveillance audits. Recertification audit before 10th February 2019, Certified since 10th March 2016

Date of Certificate Issue:

1st Surveillance Audit Due:10 Mar. 2017 2nd Surveillance Audit Due:10 Mar. 2018

Certificate Valid until:

Certificate Number:

10th March 2016

9th March 2019

68609/KSA/Q

Authorised by:

Shrift

Stan Wright Chief Executive

DAS Certification

Registration House, 22b Church Street Rushden, Northamptonshire, NN10 9YT

Tel: 01933 381859

Email: info@dascertification.co.uk Web: www.dascertification.co.uk Company number: 03384526 SAMER OF MULTILATER PLANE AND AND ADDRESS OF MULTILATER PROPERTY OF



Date of Issue: 10th March 2016



DAS CERTIFICATION



Environmental Management System Certificate of Approval

This is to certify that the EMS of

Road Line Factory for Road Marking Machines

PO.Box: 11828, Elobour city: 1080, Arab Republic of Egypt

Has been assessed and found to meet the requirements of

ISO 14001:2004

This certificate is valid for the following scope of operations:

Manufacturing, Supply & Installation of All Road Marking Machines & Training Courses e.g., Bitumen Melting, Sign Boards, Guard Rails & Epoxy Mixing Machines; Paint & Ceramic Production Lines & Its Spare Parts; Maintenance & After Sales Services

This certificate is the property of DAS Certification and is valid from 13th March 2016 until 12th March 2019 and remains valid subject to satisfactory annual Surveillance audits. Recertification audit before 13th February 2019,

Certified since 13th March 2016

Date of Certificate Issue: 13

13th March 2016

Certificate Valid until:

12th March 2019

Certificate Number:

68609/KSA/E

Authorised by:

Stan Wright Chief Executive

DAS Certification

Registration House, 22b Church Street Rushden, Northamptonshire, NN10 9YT, UK

Tel: 01933 381859

Email: info@dascertification.co.uk
Web: www.dascertification.co.uk
Company number: 03384526



Date of Issue: 13th March 2016



Occupational Health & Safety Certificate of Approval

This is to certify that the OHSAS of

Road Line Factory for Road Marking **Machines**

PO.Box: 11828, Elobour city: 1080, Arab Republic of Egypt

Has been assessed and found to meet the requirements of

BS OHSAS 18001:2007

This certificate is valid for the following scope of operations:

Manufacturing, Supply & Installation of All Road Marking Machines & Training Courses e.g., Bitumen Melting, Sign Boards, Guard Rails & Epoxy Mixing Machines; Paint & Ceramic Production Lines & Its Spare Parts; Maintenance & After Sales Services

This certificate is the property of DAS Certification and is valid from 17th March 2016 until 16th March 2019 and remains valid subject to satisfactory annual Surveillance audits. Recertification audit before 17th February 2019, Certified since 17th March2016

Date of Certificate Issue:

17th March 2016

Certificate Valid until:

16th March 2019

Certificate Number:

68609/KSA/HS

Authorised by:

Stan Wright **Chief Executive**

DAS Certification

Registration House, 22b Church Street Rushden, Northamptonshire, NN10 9YT, UK

Tel: 01933 381859

Email: info@dascertification.co.uk Web: www.dascertification.co.uk Company number: 03384526





Date of Issue: 17th March 2016








عيون قطط بلاستيك

عيون قطط بلاستيك

عيون قطط بلاستيك








عيون قطط سيراميك عاكسة

عيون قطط سيراميك

عيون قطط ألومنيوم








عيون قطط بلاستيك

عيون قطط بالطافة الشمسية ١٠ سم

عيون قطط بالطاقة الشمسية ١٥ سم

Plastic Road Stud



Model:UTRS-P01 Size: 100x100x20mm



Model:UTRS-P02 Size:100x100x20mm



Model:UTRS-P03 Size:110x80x20mm



Model:UTRS-P04 Size:100x50x20mm

Aluminum Road Stud



Model: UTRS-A01 Size: 100x100x20mm



Model:UTRS-A02 Size:125x90x20mm



Model:UTRS-A03 Size: 100x100x25mm



Model:UTRS-A04 Size: 100x100x20mm

Glass Road Stud / Ceramic Road Stud



Model: UTRS-G01 Size: Φ100mm



Model: UTRS-G02 Size:Φ50mm



Model:UTRS-C01/UTRS-C02 Size: Φ100mm/Φ150mm



Model: UTRS-C03 / UTRS-C04 Size: 100mm/Φ150mm

Guardrail Delineator



Model:UTRD-G01 Size:120x70x50mm





Model:UTRD-G02 Size:120x70x50mm



Model:UTRD-G03 Model:180x40x40mm



Model:UTRD-G04 Model:180x40x40mm

PVC Delineator Post



Model:UTRD-P01 Size:1250x120x100mm



Model:UTRD-P02 Size:1250x100mm



Model:UTRD-P03 Size:1400x100mm



Model:UTRD-P04 Size:1400x100mm

Plastic Road Studs



DP75-B10



DP100-B21/22



DP100-B10



DP110-B10



DP150-B10



DP170-B10/11

Model	Size (L*W*Hmm)	Weight(g)	Model	Size (L*W*Hmm)	Weight(g)
DP75-B10	100*75*25	90	DP110-B10	130*110*15	145
DP100-B21	100*100*18	120	DP150-B10	Ф150*40,feet40	335
DP100-B22	100*100*18	120	DP170-B10	170*170*45	450
DP100-B10	100*100*21	145	DP170-B11	170*170*65	540

Plastic Road Studs



DP100-F42



DP100-F47



DP100-F48



DP100-F90



DP100-F91



DP100-F92



DP100-F99



DP103-F40



DP106-F10



DP118-F10



DP180-F10



DP250-F10

Model	Size (L*W*Hmm)	Weight(g)	Reflector	Model	Size (L*W*Hmm)	Weight(g)	Reflector
DP100-F42	100*100*20	115	PMMA	DP100-F99	100*100*20	201	PMMA
DP100-F47	100*100*21	145	PS	DP103-F40	103*103*21	130	PMMA
DP100-F48	100*100*20	96	PS	DP106-F10	106*106*21	115	3M
DP100-F90	100*100*19	170	PMMA	DP118-F10	118*138*24	118	3M
DP100-F91	100*100*21	223	PMMA	DP180-F10	Ф180*43	391	PMMA
DP100-F92	100*100*22	206	PMMA	DP250-F10	250*150*50	305	PS

Plastic Road Studs



DP80-F10



DP85-F10



DP90-F10



DP100-F10



DP100-F12



DP100-F13



DP100-F20



DP100-F21



DP100-F30



DP100-F31



DP100-F32



DP100-F40

Model	Size (L*W*Hmm)	Weight(g)	Reflector	Model	Size (L*W*Hmm)	Weight(g)	Reflector
DP80-F10	115*80*17	100	PMMA	DP100-F20	100*100*20	110	PMMA
DP85-F10	100*85*20	85	PMMA	DP100-F21	100*100*20	105	PMMA
DP90-F10	100*90*20	115		DP100-F30	100*100*19	161	PS
DP100-F10	100*100*20	100	PS	DP100-F31	100*100*20	230	PMMA
	100*100*20	165	1 0		100*100*19	177	PMMA
	100*100*20	118	PMMA	DP100-F40	100*100*20	120	PMMA

Aluminum Road Studs



DA75-B10



DA100-B10



DA100-B20



DA100-B40



DA100-B60



DA100-B70



DA150-B20




DA150-B40



DA150-B60



DA150-B70



DA150-F10



DA186-F10

Model	Size	Anchor	Weight
Wiodei	L*W*H (mm)	mm	g
DA75-B10	100*75*22	50.0	193
DA100-B10	100*100*22	60.0	300
DA100-B20	100*100*22	70.0	275
DA100-B40	100*100*20	50.0	400
DA100-B60	100*100*20	50.0	290
DA100-B70	100*100*21	50.0	350

Model	Size	Anchor	Weight
WIOGE	L*W*H (mm)	mm	g
DA150-B20	150*150*25	60.0	535
DA150-B40	150*150*25	65.0	660
DA150-B60	150*150*22	50.0	480
DA150-B70	150*150*22	45.0	339/ 900
DA150-F10	150*150*50	50.0	596
DA186-F10	186*186*20	70.0	475/ 1230

Aluminum Road Studs



DA115-F10



DA100-F51



DA100-F60



DA100-F70



DA100-F10



DA100-F12



DA100-F13



DA100-F20



DA100-F30



DA100-F32



DA100-F33



DA95-F10

Model	Size	Anchor	Weight
Model	L*W*H (mm)	mm	g
DA115-F10	115*115*20		250
DA100-F51	100*100*20	50.0	220
DA100-F60	100*100*20	45.0	220
DA100-F70	100*100*20	50.0	270
DA100-F10	100*100*22	50.0	325
DA100-F12	103*103*21	50.0	350

Model	Size	Anchor	Weight
Model	L*W*H (mm)	mm	g
DA100-F13	100*100*20		300
DA100-F20	100*100*20	40.0	270
DA100-F30	100*100*20	55.0	330
DA100-F32	100*100*20	35.0	271
DA100-F33	100*100*22	45.0	318
DA95-F10	127*95*22	60.0	390

Solar Road Studs

DSA-100



Size: 132*123*22mm, Anchor: 51mm

Battery: 2.4V/650mAh Solar Power: 3.5V/120mA Crushing Resistance: >30T

DSA-400



Size: 104*103*22mm, Anchor: 48mm

Battery: 1.2V/600-800mAh Solar Power: 2V/100mA Crushing Resistance: >20T

DSA-M₁₀



Size: 143*43mm

Battery: Customized Solar Power: 3.5V/80mA

Crushing Resistance: >30T

DSA-200



Size: 110*100*21mm, Anchor: 51mm

Battery: 2.4V/650mAh Solar Power: 3.5V/120mA Crushing Resistance: >20T

DSA-500



Size: 115*110*23mm, Anchor: 51mm

Battery: 1.2V/600mAh Solar Power: 2V/100mA Crushing Resistance: >20T

DSA-M20

Size: 130*60mm

Battery: 1.2V/600mAh Solar Power: 2V/100mA Crushing Resistance: >30T **DSA-300**



Size: 106*95*23mm Battery: 1.2V/600mAh Solar Power: 2V/100mA

Crushing Resistance: >20T

DSA-600



Size: 128*118*78mm, Anchor: 54mm

Battery: 1.2V/600mAh Solar Power: 2V/100mA Crushing Resistance: >20T

DSP-100/110



Size: 122*23mm, 124*25mm

Battery: 2.4V/600mAh, 1.2V/600-800mAh

Solar Power: 2V/200mA, 2V/150mA

Crushing Resistance: >20T

Releated Products: **Tunnel Wire Road Studs**

DEP-100



Size: 100*100*19mm

Material: Plastic Voltage: 24V/12V

Crushing Resistance: >20T

DEA-100



Size: 108*100*19mm Material: Aluminum Voltage:24V/12V

Crushing Resistance: >20T

Solar Road Stud



Model: UTSR-S01 Product Size:140x130x28mm LED quantity: 4pcs



Model: UTSR-S05 Product Size: 116x116x22mm LED quantity: 4pcs



Model: UTSR-S09 Product Size:116x86x20mm LED quantity: 4pcs



Model:UTSR--S02 Product Size: 140x130x28mm LED quantity: 4pcs



Model: UTSR-S06 Product Size:108x88x23mm LED quantity: 6pcs



Model: UTSR-S10 Product Size:132x122x20mm LED quantity: 4pcs



Model:UTRS-S03 Product Size:102x102x21.3mm LED quantity: 4pcs



Model: UTSR-S07 Product Size:120x110x20mm LED quantity: 4pcs



Model: UTSR-S11 Product Size: 111x81x24mm LED quantity: 4pcs



Model: UTSR-S04 Product Size:121x111x20mm LED quantity: 4pcs



Model: UTSR-S08 Product Size:125x100x20mm LED quantity: 6pcs



Model: UTSR-S12 Product Size:132x122x20mm LED quantity: 6pcs

Solar Traffic Sign



Model: UTSD-01



Model:UTSD-02



Model: UTSS-01



Model: UTSS-02



Model: UTSS-03



Model: UTSS-04



Model: UTSS-05



Model: UTSS-06



Model: UTSS-07



Model: UTSS-08

LED Flashing Warning Chevron



Model:UTFC-3636 Size:L360xW360mm LED:15pcs Function:flash-steady-closed Battery: 2pcs AA




Model:UTFC-2648 Size:L480xW260mm LED:28pcs Function:flash-closed Battery: 3pcs AA



Model:UTFC-4685 Size:L850xW460mm LED:36pcs Function:flash-closed Battery: 3pcs AA







عيون قطط بالطاقة الشمسية



عيون قطط بالطاقة الشمسية مع عمود



سهم تحويلة بالطاقة الشمسية مع القاعدة



سهم تحويلة بالطاقة الشمسية مع القاعدة



عيون قطط بالطاقة الشمسية



اشارة مرورية بالطاقة الشمسية ٣ عيون ٢٠٠ ملم



اشارة مرورية بالطاقة الشمسية ٣ اتجاهات



اشارة مرورية بالطاقة الشمسية ٣٠٠ ملم








إشارة مرور ٢٠٠ ملم ٢ عين



إشارة مرور رقمية




اشارة مرور ۳۰۰ ملم ۳X




اشارة مرور ۳۰۰ ملم X




اشارة مرور ۲۰۰ ملم X



إشارة مرور



اشارة مرور ۳۰۰ ملم ۳X



إشارة مرورية ٢٠٠ ملم ٢ عين



km

تمهــــــل السرعة ٥٠

R-391





R-390

طريق اتجاهين



أمامك تحويلة 11.x7.



ممنوع الإنتظار





























امامك تحويلة DETOUR AHEAD



ستیک_ر

ست<u>یک</u>ر ۱۲۰x٦۰ سم

R-421

ستيک__ر







منطقة عمل

ممنوع الإلتفاف

ممنوع الوقوف







الطريق يضيق من اليمين

الطريق يضيق من اليسار

قف

امامك تحويلة DETOUR AHEAD ممنوع الدخول R-403



R-402

ممنوع الدخول

ممنوع الوقوف والإنتظار

أمامك تحويلة ٢٠x٤٠ سم







مطب ریل ۲۰۰ X۹۰X۱۰

مطبربل ۰x۵۰x۵۰

مطب ریل X ۰ ۰ X ۰ ۵ ۰ X








مطب ریل XT·XI·۰۰

مطب ریل ۷X۵۰X٤۰

مطب ریل ۷X۵۰X۱۰۰







مطبربل ۰۰۱x۳۵X۱۰۰

مطب ربل X۳۸X۱۰۰

مطب ربل ۲۰۰ X۳۵X۱۰۰





R-442



عمود متحرك

براميل حواجز

عمود ثابت







مصدة حماية الأسلاك

قمع ربل ۷۰سم

قمع ربسل هرمي







R-447

مطب حماية الأسلاك ٢ فتحة

مطب حماية الأسلاك ٥ فتحات

مطب حماية الأسلاك ٣ فتحات








مطب حماية الأسلاك ٥ فتحات



مطب حماية الأسلاك ٣ فتحات



مصدة ربل لحماية الأسلاك



مصدة ربل لحماية أبواب السيارة



مصدة حديدية



لوحة ممنوع الوقوف بلاستيك




مصدة أرضية حديد



كلبشات سيارة







سفتي سيارة ١٢٠ سم

سفتي سيارة ٦٠ سم

سفتي سيارة ٦٠ سم








سفتي كهرباء كبير

سفتي أبراج براق صغير

سفتي أبراج براق وسط







سهم اتجاد اجباري بالطاقة الشمسية

سفتي مغناطيس بيضاوي

سفتي سيارة مغناطيس

Roadline Safety (a) sales@roadlineco.com

Obour City PO.Box:11828 Obour:1080 First Quarter Aziz El-Masry Street

www.roadlineco.com